NSN 5930-00-482-0707

Thermostatic Switch - Page 1 of 2

Thread Class:
2b all threaded hole



View Online at https://aerobasegroup.com/nsn/5930-00-482-0707

Overall Length:
1.656 inches
Overall Height:
2.485 inches
Overall Width:
2.954 inches
Body Height:
0.922 inches
Distance Between Mounting Facility Centers:
1.750 inches
Capillary Tube Length:
Between 35.0 inches and 37.0 inches
Bulb Length:
11.875 inches
Bulb Diameter:
0.188 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Bracket and threaded hole
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches all threaded hole
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab w/screw
Contact Load Current Rating:
30.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:

+100.00/+450.00 actuation point degrees fahrenheit

Contact Adjustment Type:

External actuation point shaft with scale

NSN 5930-00-482-0707

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts: 480.0 ac at sea level second voltage Media For Which Designed: Gas or liquid Style Designator: Rectangular Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0