NSN 5930-00-488-9947

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-488-9947

Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
1.250 inches
Body Diameter:
0.250 inches
Bulb Diameter:
0.250 inches
Tempurature Sensing Element Type:
Bulb
Mounting Method:
Threaded bushing
Thready Qty Per Inch (tpi):
18 single threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.250 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Wire lead
Contact Load Current Rating:
3.5 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
212.00 actuation point degrees fahrenheit and 202.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
60.0 first voltage
Media For Which Designed:
Gas
Style Designator:
Cylindrical w/flange
Thread Series Designator:
Npt single threaded bushing
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5930-00-488-9947

Thermostatic Switch - Page 2 of 2



em			

No

Fiig:

A048b0