NSN 5930-00-492-2265

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-492-2265 **Thread Class:** 2a all threaded stud **Thread Length:** 0.480 inches all threaded stud and 0.520 inches all threaded stud **Overall Height:** 1.171 inches **Body Height:** 0.451 inches **Overall Diameter:** 0.568 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -80.0 degrees fahrenheit and 300.0 degrees fahrenheit **Mounting Method:** Threaded stud Thready Qty Per Inch (tpi): 32 all threaded stud **Contact Action Stimulus:** Increase **Thread Size:** 0.190 inches all threaded stud

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

0.5 amperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

237.50 actuation point degrees fahrenheit and 262.50 actuation point degrees fahrenheit and 228.00 deactuation point degrees fahrenheit and 252.00 deactuation point degrees fahrenheit and 24.50 differential point degrees fahrenheit

Contact Voltage Rating In Volts:

30.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Disc

Thread Series Designator:

Unf all threaded stud

NSN 5930-00-492-2265

Thermostatic Switch - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0