NSN 5930-00-505-6818

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-505-6818

| Overall Length: |
|---|
| 1.250 inches |
| Body Length: |
| 1.000 inches |
| Body Width: |
| 0.328 inches |
| Body Height: |
| 0.250 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.109 inches |
| Distance Between Mounting Facility Centers: |
| 0.562 inches |
| Longest Horizontal Distance Between Mounting Centers: |
| 0.563 inches |
| Tempurature Sensing Element Type: |
| Internal sensor |
| Mounting Method: |
| Threaded bushing |
| Contact Action Stimulus: |
| Increase |
| Mounting Facility Pattern: |
| Two position in-line |
| Nonpile-up Contact Arrangement: |
| 1 pole, single throw, normally closed, momentary action |
| Terminal Type: |
| Tab, solder lug |
| Contact Adjustability: |
| Actuation point adjustable, preset |
| Contact Adjustment Type: |
| External actuation point screw |
| Contact Stimulus Rating: |
| 400.00 actuation point degrees fahrenheit and 395.00 deactuation point degrees fahrenheit |
| Contact Voltage Rating In Volts: |
| 230.0 ac at sea level first voltage |
| Reference Number Differentiating Characteristics: |
| As differentiated by material |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| |

NSN 5930-00-505-6818 Thermostatic Switch - Page 2 of 2

Fiig: A048b0

