NSN 5930-00-506-6886

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-506-6886

Overall	Length:
Overall	Lengui.

- 1.072 inches
- **Overall Height:**
- 0.370 inches
- **Overall Width:**
- 0.635 inches

Body Diameter:

- 0.635 inches
- **Body Height:**

0.348 inches

Distance Between Mounting Facility Centers:

0.937 inches

Tempurature Sensing Element Type:

Internal sensor

Mounting Method:

Bracket

Features Provided:

Hermetically sealed case

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

6.0 amperes resistive load third voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

155.00 actuation point degrees fahrenheit and 175.00 actuation point degrees fahrenheit and 110.00 deactuation point degrees fahrenheit

and 135.00 deactuation point degrees fahrenheit and 38.00 differential point degrees fahrenheit

Contact Voltage Rating In Volts:

30.0 dc at sea level third voltage

Media For Which Designed:

Gas

Style Designator:

Disc w/flange

Test Data Document:

96906-mil-std202 standard (includes industry or association standards, individual manufactureer standards, etc.).

Shelf Life:

NSN 5930-00-506-6886

Thermostatic Switch - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0

