

View Online at <https://aerobasegroup.com/nsn/5930-00-509-5679>

Hazardous Locations/environmental Protection:

Watertight

Overall Length:

1.200 inches

Overall Height:

0.500 inches

Body Diameter:

0.640 inches

Body Height:

0.325 inches

Distance Between Mounting Facility Centers:

0.930 inches

Tempurature Sensing Element Type:

Internal sensor

Mounting Method:

Bracket

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

500.0 milliamperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

251.00 actuation point degrees fahrenheit and 263.00 actuation point degrees fahrenheit and 206.00 deactuation point degrees fahrenheit and 218.00 deactuation point degrees fahrenheit and 45.00 differential point degrees fahrenheit

Contact Voltage Rating In Volts:

30.0 dc at sea level second voltage

Media For Which Designed:

Gas

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0