## NSN 5930-00-513-0976

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-513-0976
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
3.125 inches
Overall Height:
2.500 inches
Overall Width:
2.500 inches
Flat Height:
0.218 inches single actuator
Shaft Diameter:
0.250 inches single actuator
Individual Section Quantity:
1
Knob Manufacturer Code:
82121
Knob Manufacturer Part Number:
A
Operating Tempurature Range:
-65.0/+85.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 single section front
Throw Quantity:
1 single section front
Mounting Facility Circle Radius:
0.840 inches single mounting facility

## **Mounting Method:**

Threaded hole single mounting facility

**Features Provided:** 

Actuator knob

Thready Qty Per Inch (tpi):

24 single mounting facility

Thread Size:

0.250 inches single mounting facility

**Contact Voltage Rating In Volts:** 

125.0 ac at sea level

**Switch Actuator Momentary Position:** 

Clockwise single actuator

## NSN 5930-00-513-0976

Rotary Switch - Page 2 of 2



## **Shaft Flat/slot Angular Location:** 180.0 degrees from contact position 1 single actuator **Mounting Facility Pattern:** Four position circular single mounting facility **Switch Actuator Indexing Position Quantity:** 2 single actuator **Shaft Type:** Round, flatted, threaded hole single actuator **Terminal Type:** Tab w/screw **Switch Actuator Positioning Increment:** 45.0 degrees single actuator **Switch Actuator Stop Device Type:** Fixed stop single actuator **Contact Load Current Rating:** 10.0 amperes resistive load ac at sea level **Style Designator:** Tap, circuit selector **Thread Series Designator:** Uns single mounting facility Shelf Life: N/a

Demilitarization:

**Unit Of Measure:** 

No

Fiig:

A052b0