## NSN 5930-00-517-1514

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-517-1514
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
3.375 inches
Overall Height:
2.500 inches
Overall Width:
2.500 inches
Flat Height:
0.218 inches single actuator
Shaft Diameter:
0.250 inches single actuator
Individual Section Quantity:
2
Knob Manufacturer Code:
82121
Knob Manufacturer Part Number:
A
Operating Tempurature Range:
-65.0/+85.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section front
Throw Quantity:
1 each section front
Mounting Facility Circle Radius:
0.840 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:

0.190 inches single mounting facility

**Contact Voltage Rating In Volts:** 

125.0 ac at sea level

**Shaft Flat/slot Angular Location:** 

180.0 degrees from contact position 1 single actuator

## NSN 5930-00-517-1514

Rotary Switch - Page 2 of 2



## **Mounting Facility Pattern:** Four position circular single mounting facility **Switch Actuator Indexing Position Quantity:** 4 single actuator **Shaft Type:** Round, flatted, threaded hole single actuator **Terminal Type:** Tab w/screw **Switch Actuator Positioning Increment:** 90.0 degrees single actuator **Contact Load Current Rating:** 10.0 amperes resistive load ac at sea level **Style Designator:** Tap, circuit selector **Thread Series Designator:** Unc single mounting facility Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No Fiig: A052b0