NSN 5930-00-519-4779

Flow Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-519-4779

Thread Class:

2b single threaded hole

Overall Length:

4.844 inches

Overall Height:

1.530 inches

Overall Width:

1.190 inches

Body Length:

2.000 inches

Mounting Method:

Threaded hole

Features Provided:

Electrical access port

Contact Action Stimulus:

Increase

Thread Size:

0.190 inches single threaded hole

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

5.0 amperes resistive load first voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

785.00 actuation point feet per minute and 735.00 actuation point feet per minute and 750.00 actuation point feet per minute and 700.00 deactuation point feet per minute and 630.00 deactuation point feet per minute and 615.00 deactuation point feet per minute and 85.00 differential point feet per minute and 105.00 differential point feet per minute and 135.00 differential point feet per minute

Contact Voltage Rating In Volts:

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 single voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Thread Series Designator:

Unf single threaded hole

Shelf Life:

N/a

Unit Of Measure:

NSN 5930-00-519-4779

Flow Switch - Page 2 of 2

Demilitarization:

No

Fiig:

A048b0

