NSN 5930-00-521-1672

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/psp/5030-00-521-1672

view Online at https://aerobasegroup.com/hsn/5930-00-521-1672
Overall Length:
Between 1.240 inches and 1.260 inches
Overall Height:
0.500 inches
Body Diameter:
0.640 inches
Body Height:
0.395 inches
Unthreaded Mounting Hole Diameter:
Between 0.133 inches and 0.147 inches
Longest Horizontal Distance Between Mounting Centers:
Between 0.930 inches and 0.944 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Obtuse triangle
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
6.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
110.00 actuation point degrees fahrenheit and 120.00 actuation point degrees fahrenheit and 95.00 deactuation point degrees fahrenheit
and 105.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level single voltage
Media For Which Designed:
Gas
Style Designator:
Disc w/flange

Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

NSN 5930-00-521-1672

Thermostatic Switch - Page 2 of 2



em			

No

Fiig:

A048b0