## NSN 5930-00-531-9400

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-531-9400
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
4.531 inches
Overall Height:
2.500 inches
Overall Width:
2.438 inches
Individual Section Quantity:
8
Knob Manufacturer Code:
82121
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section front
Throw Quantity:
2 each section front
Mounting Facility Circle Radius:
1.156 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
120.0 ac at sea level
Switch Actuator Momentary Position:
Clockwise single actuator and counterclockwise single actuator
Mounting Facility Pattern:
Four position circular single mounting facility
Switch Actuator Indexing Position Quantity:
3 single actuator
Criticality Code Justification:
Feat

**Terminal Type:** 

Tab w/screw

## **NSN 5930-00-531-9400**Rotary Switch - Page 2 of 2

Fiig: A052b0



Contact Switching Action:
Makes before breaks 5th section front
Switch Actuator Positioning Increment:
90.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
10.0 amperes resistive load ac at sea level
Special Features:
Item must comply with rqmt of desc production standard no. L01651
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No