NSN 5930-00-544-5536

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-544-5536

Inside Diameter:
0.250 inches single connection
Overall Length:
3.900 inches
Body Diameter:
1.440 inches
Body Length:
2.500 inches
Overall Diameter:
1.870 inches
Unthreaded Mounting Hole Diameter:
0.210 inches
Pressure Switch Type:
Gage
Mounting Facility Circle Radius:
0.750 inches
Mounting Method:
Flange and unthreaded hole
Thready Qty Per Inch (tpi):
18 single pressure connection
Contact Action Stimulus:
Increase
Proof Pressure:
100.00 pounds per square inch gage
Thread Size:
0.250 inches single pressure connection
Mounting Facility Pattern:
Three position circular
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Wire lead
Contact Load Current Rating:
5.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
15.00 actuation point inches of mercury and 12.00 deactuation point inches of mercury and 3.00 differential point inches of mercury
Contact Voltage Rating In Volts:

Pressure Connector Type:

Plain, threaded internal single connection

30.0 dc at sea level second voltage

NSN 5930-00-544-5536

Pressure Switch - Page 2 of 2



Frequency In Hertz:
60.0 single voltage
Media For Which Designed:
Gas
Style Designator:
Cylindrical
Thread Series Designator:
Npt single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0