# NSN 5930-00-548-3262

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-548-3262

#### **Thread Class:**

2a single mounting facility

#### Thread Length:

0.375 inches single mounting facility

### **Overall Length:**

1.500 inches

#### **Overall Height:**

1.875 inches

#### **Overall Width:**

1.609 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.875 inches single actuator

#### Individual Section Quantity:

2

#### Switch Contact Basic Design:

Nonpile-up symmetrical

#### Pole Quantity:

1 each section rear

#### Throw Quantity:

7 each section rear

#### Mounting Method:

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

#### Switch Actuator Indexing Position Quantity:

7 single actuator

#### Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

### **Contact Switching Action:**

Makes before breaks each section rear

#### Switch Actuator Positioning Increment:

30.0 degrees single actuator

## Switch Actuator Stop Device Type:

Fixed stop single actuator

### **Contact Load Current Rating:**

500.0 milliamperes resistive load ac at sea level

# NSN 5930-00-548-3262

Rotary Switch - Page 2 of 2



**Special Features:** 

Two dummy terminals on the rear of section one

#### **Precious Material And Location:**

Contacts and rotor blade surfaces silver

**Precious Material:** 

Silver

## Style Designator:

Circular wafer, bushing mount

#### **Thread Series Designator:**

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A052b0