# NSN 5930-00-548-6068

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-548-6068

### **Thread Length:**

0.375 inches single mounting facility

## **Overall Length:**

1.468 inches

# **Overall Height:**

1.562 inches

## **Overall Width:**

1.406 inches

#### First Flat Length:

0.469 inches single actuator

#### Flat Height:

0.214 inches single actuator and 0.218 inches single actuator

#### Shaft Diameter:

0.248 inches single actuator and 0.250 inches single actuator

#### Shaft Length:

0.906 inches single actuator

## Nonturn Device Radius:

0.531 inches at 3: 00 o'clock

# Individual Section Quantity:

1

Nonturn Device Type:

Tab at 3: 00 o'clock

#### **Operating Tempurature Range:**

-40.0/+85.0 degrees celsius

#### Switch Contact Basic Design:

Nonpile-up symmetrical

#### Pole Quantity:

2 single section front

# Throw Quantity:

3 single section front

# **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

# Switch Actuator Indexing Position Quantity:

3 single actuator

## Shaft Type:

Round, flatted single actuator

## **Terminal Type:**

Tab, solder lug

# **Contact Switching Action:**

Makes before breaks single section front

# NSN 5930-00-548-6068

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment: 30.0 degrees single actuator Switch Actuator Stop Device Type: Fixed stop single actuator Style Designator: Circular wafer, bushing mount **Thread Series Designator:** Unef single mounting facility Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A052b0