

View Online at <https://aerobasegroup.com/nsn/5930-00-548-8500>

**Thread Length:**

0.250 inches single mounting facility

**First Flat Length:**

0.484 inches single actuator and 0.516 inches single actuator

**Flat Height:**

0.151 inches single actuator and 0.161 inches single actuator

**Shaft Diameter:**

0.234 inches single actuator and 0.266 inches single actuator

**Shaft Length:**

1.046 inches single actuator and 1.078 inches single actuator

**Nonturn Device Radius:**

0.515 inches at 12: 00 o'clock and 0.547 inches at 12: 00 o'clock

**Individual Section Quantity:**

2

**Nonturn Device Type:**

Tab at 12: 00 o'clock

**Switch Contact Basic Design:**

Nonpile-up symmetrical

**Pole Quantity:**

1 2nd section rear

**Throw Quantity:**

6 each section rear

**Mounting Method:**

Threaded bushing single mounting facility

**Thread Size:**

0.375 inches single mounting facility

**Shaft Flat/slot Angular Location:**

225.0 degrees from nonturn device single actuator

**Switch Actuator Indexing Position Quantity:**

6 single actuator

**Shaft Type:**

Round, flatted single actuator

**Terminal Type:**

Tab, solder lug

**Contact Switching Action:**

Breaks before makes each section rear

**Switch Actuator Positioning Increment:**

60.0 degrees single actuator

**Special Features:**

2 dummy terminals one on front and one on rear

**Thread Series Designator:**

Unef single mounting facility

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A052b0