## NSN 5930-00-548-9771

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-548-9771

Thread C	lass:	
----------	-------	--

2b single mounting facility

**Hazardous Locations/environmental Protection:** 

Dustproof

**Overall Length:** 

2.938 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.688 inches single actuator

**Individual Section Quantity:** 

3

**Knob Manufacturer Code:** 

04009

**Knob Manufacturer Part Number:** 

80156-584

**Longest Horizontal Distance Between Mounting Centers:** 

1.641 inches single mounting facility

**Longest Vertical Distance Between Mounting Centers:** 

1.641 inches single mounting facility

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 each section rear

**Throw Quantity:** 

4 each section rear

**Mounting Method:** 

Threaded hole single mounting facility

**Features Provided:** 

Actuator knob

Thready Qty Per Inch (tpi):

24 single mounting facility

**Thread Size:** 

0.190 inches single mounting facility

Contact Voltage Rating In Volts:

450.0 ac at sea level

**Mounting Facility Pattern:** 

Four position rectangular single mounting facility

**Switch Actuator Indexing Position Quantity:** 

4 single actuator

**Shaft Type:** 

Round single actuator

## **NSN 5930-00-548-9771**Rotary Switch - Page 2 of 2



Terminal Type:
Tab w/screw
Contact Switching Action:
Breaks before makes each section rear
Switch Actuator Positioning Increment:
90.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
10.0 amperes resistive load dc at sea level
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0