NSN 5930-00-556-0374

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-556-0374

Capillary Tube Length:	
180.000 inches	
Bulb Length:	
6.000 inches	
Bulb Diameter:	
1.125 inches	
Longest Horizontal Distance Between Mounting Centers:	
2.406 inches	
Shortest Horizontal Distance Between Mounting Centers:	
1.203 inches	
Longest Vertical Distance Between Mounting Centers:	
3.281 inches	
Tempurature Sensing Element Type:	
Capillary tube-bulb	
Operating Tempurature Rating:	
150.0 degrees fahrenheit	
Mounting Method:	
Bracket	
Features Provided:	
Tubing end seal connection	
Contact Action Stimulus:	
Increase	
Mounting Facility Pattern:	
Isosceles triangle	
Nonpile-up Contact Arrangement:	
1 pole, single throw, normally open, momentary action	
Terminal Type:	
Tab w/screw	
Contact Load Current Rating:	
8.6 amperes resistive load third voltage	
Contact Adjustability:	
Actuation point adjustable	
Contact Adjustment Range:	
+0.00/+60.00 actuation point degrees fahrenheit	
Contact Adjustment Type:	
External actuation point screw	
Contact Voltage Rating In Volts:	
440.0 dc at sea level fourth voltage	
Shelf Life:	
N/a	
Unit Of Measure:	

NSN 5930-00-556-0374

Thermostatic Switch - Page 2 of 2

Demilitarization:

No

Fiig:

A048b0

