

View Online at <https://aerobasegroup.com/nsn/5930-00-557-1968>

Thread Class:

2a single threaded bushing

Thread Length:

0.500 inches single threaded bushing

Hazardous Locations/environmental Protection:

Vibration resistant

Overall Length:

4.916 inches

Body Diameter:

Between 0.618 inches and 0.625 inches

Body Length:

3.562 inches

Temperature Sensing Element Type:

Expanding shell

Width Across Flats:

1.000 inches

Operating Temperature Rating:

Between -100.0 degrees fahrenheit and 650.0 degrees fahrenheit

Mounting Method:

Threaded bushing

Contact Action Stimulus:

Increase

Thread Size:

0.875 inches single threaded bushing

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab w/screw

Contact Load Current Rating:

5.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point adjustable, preset

Contact Adjustment Range:

-100.00/+400.00 actuation point degrees fahrenheit

Contact Adjustment Type:

External actuation point screw

Contact Stimulus Rating:

225.00 actuation point degrees fahrenheit

Contact Voltage Rating In Volts:

240.0 ac at sea level second voltage

Special Features:

Mounts by 7/8-14 nf-2 thd 1/2 in. Lg

Media For Which Designed:

Gas or liquid

Style Designator:

Cylindrical w/flange

Thread Series Designator:

Unf single threaded bushing

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0