## NSN 5930-00-581-8637

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-581-8637 **Thread Class:** 2a single mounting facility **Thread Length:** 0.313 inches single mounting facility **Overall Length:** 1.438 inches **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 0.437 inches single actuator **Individual Section Quantity: End Application:** Allweather anit-ship harpoon (agm-84) missle, strategic weapon systems (poseidon and trident), air to air phoenix (aim-54) missle. **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 single section rear **Throw Quantity:** 5 single section front **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.375 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Switch Actuator Indexing Position Quantity:** 7 single actuator **Shaft Type:** Round single actuator **Criticality Code Justification: Terminal Type:** Clip **Contact Switching Action:** Breaks before makes single section rear **Switch Actuator Positioning Increment:** 30.0 degrees single actuator **Switch Actuator Stop Device Type:** 

Adjustable stop single actuator **Contact Load Current Rating:** 

1.0 amperes resistive load ac at sea level

## **NSN 5930-00-581-8637** Rotary Switch - Page 2 of 2



Special Features:
Weapon system essential
<b>Precious Material And Location:</b>
Clips and rotor blades silver
Precious Material:
Silver
Style Designator:
Circular wafer, bushing mount
Thread Series Designator:
Unef single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A052b0