

View Online at <https://aerobasegroup.com/nsn/5930-00-583-8861>

**Body Style:**

Hole mounted

**Hazardous Locations/environmental Protection:**

Dustproof

**Overall Length:**

0.781 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.375 inches

**Overall Height:**

0.489 inches

**Overall Width:**

0.250 inches

**Body Length:**

0.781 inches

**Body Width:**

0.250 inches

**Body Height:**

0.359 inches

**Case Material:**

Metal

**Unthreaded Mounting Hole Diameter:**

0.087 inches

**Actuator Style:**

Round

**Actuator Diameter:**

0.092 inches

**Actuator Height:**

0.020 inches

**Actuator Free Position Height:**

0.365 inches

**Maximum Voltage Rating In Volts:**

250.0 ac and 30.0 dc

**End Application:**

Nimitz class cvn, spruance class d (963), forrestal class cv, oliver perry class ffg, wasp class lhd, sturgeon class ssn(637), missile minuteman lgm-30, aircraft phantom f-4, stratofortress b-52, hercules c-130, delta dart f-106, f-111, galaxy c-5, starlifter c-141, eagle f-15, awacs e-3a, helicopter super jolly h-53, sof/hh-53h pave low, missile maverick agm-65a, 485l tacs, cobra dan sys fps-108, joint surveillance sys(jss)/region ops ctrl center(rocc), simulator f-111, f-4, communications program combat theater(tri-tac) 478i, support equipment t-37 aircraft, support equipment t-38 aircraft, aircraft (ac-130h, mc-130h, ec-130e, hc-

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Unthreaded hole

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary single switch unit

**Switch Release Force:**

**Criticality Code Justification:**

Feat

**Switch Actuating Force:**

5.0 ounces

**Actuator Movement:**

Between 0.020 pretravel inches and 0.003 overtravel inches and 0.005 differential inches

**Contact Load Current Rating At Maximum Rated Voltage:**

5.000 amperes resistive dc and 2.500 amperes inductive dc and 5.000 amperes resistive ac

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

3 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A053a0