NSN 5930-00-612-1632

Lever Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-612-1632

Thread Class:

2b

Body Style:

Hole mounted

Overall Length:

1.812 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.625 inches

Overall Height:

5.438 inches

Overall Width:

1.312 inches

Body Width:

1.312 inches

Body Height:

1.812 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

1.500 inches

Actuator Style:

Round

Actuator Diameter:

0.438 inches

Actuator Height:

1.563 inches

Actuator Position-action Relationship:

Up position maintained and down position maintained and center position maintained

Actuator Position-locking Relationship:

Up position locked in and down position locked in and center position no locking action

Maximum Voltage Rating In Volts:

110.0 ac and 110.0 dc

Inclosure Type:

Uninclosed

Mounting Method:

Threaded hole

Thready Qty Per Inch (tpi):

40

Pile-up Contact Form Arrangement:

4c 1st position

Thread Size:

0.112 inches

Contact Load Current Rating At Maximum Rated Voltage:

10.000 amperes resistive dc and 10.000 amperes resistive ac

NSN 5930-00-612-1632

Lever Switch - Page 2 of 2

Thread Series Designator:

Unc

Terminal Type And Quantity:

18 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A053a0

