NSN 5930-00-612-4333



Rotary Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-00-612-4333
Thread Class:
2b single mounting facility
Overall Length:
3.876 inches
Overall Height:
2.250 inches
Overall Width:
2.250 inches
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
0.938 inches single actuator
Individual Section Quantity:
2
Longest Horizontal Distance Between Mounting Centers:
1.500 inches single mounting facility
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
4 each section front
Throw Quantity:
3 each section front
Mounting Method:
Threaded hole single mounting facility
Thread Size:
0.375 inches single mounting facility
Contact Voltage Rating In Volts:

115.0 ac at sea level

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

3 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes each section front

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

NSN 5930-00-612-4333Rotary Switch - Page 2 of 2



Contact Load Current Rating:
2.0 amperes resistive load ac at sea leve
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Style Designator:
Tap, square frame
Thread Series Designator:
Unef single mounting facility
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A052b0