NSN 5930-00-615-7340

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-615-7340

Thread Class:
3b single pressure connection
Overall Length:
3.200 inches
Outside Diameter:
1.630 inches all connections
Body Diameter:
1.630 inches
Body Length:
3.200 inches
Overall Diameter:
4.830 inches
End Application:
Aircraft hercules c-130
Pressure Switch Type:
Gage
Mounting Method:
Clamp
Thready Qty Per Inch (tpi):
20 single pressure connection
Contact Action Stimulus:
Increase
Proof Pressure:
150.00 pounds per square inch
Thread Size:
0.4375 inches single pressure connection
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Criticality Code Justification:
Feat
Sensing Element Burst Pressure:
250.00 pounds per square inch
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
1.0 amperes resistive load single voltage and 1.0 amperes inductive load single voltage and 1.0 amperes lamp load single voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

30.00 actuation point pounds per square inch and 20.00 deactuation point pounds per square inch and 10.00 differential point pounds per square inch

Contact Voltage Rating In Volts:

28.0 dc at sea level single voltage

NSN 5930-00-615-7340

Pressure Switch - Page 2 of 2



Pressure Connector Type:
Inverted flare, threaded external single connection
Special Features:
Weapon system essential
Media For Which Designed:
Liquid
Style Designator:
Cylindrical
Thread Series Designator:
Unf single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A048b0