NSN 5930-00-617-7161

Thermostatic Switch - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5930-00-617-7161

5.000 inches
Overall Height:
5.906 inches
Overall Width:
2.688 inches
Body Length:
4.782 inches
Capillary Tube Length:
120.000 inches
Bulb Length:
3.625 inches
Bulb Diameter:
0.688 inches
Longest Horizontal Distance Between Mounting Centers:
2.406 inches
Shortest Horizontal Distance Between Mounting Centers:
0.656 inches
Longest Vertical Distance Between Mounting Centers:
3.281 inches
End Application:
Weapon system-ship, ohio class ssn (trident)
Tempurature Sensing Element Type:
Capillary tube-bulb
Operating Tempurature Rating:
Between -100.0 degrees fahrenheit and 220.0 degrees fahrenheit
Mounting Method:
Bracket
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, both positions maintained
Terminal Type:
Tab w/screw
Contact Load Current Rating:
4.6 amperes resistive load fourth voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point adjustable
Contact Adjustment Range:
+90.00/+165.00 actuation point degrees fahrenheit
Contact Adjustment Type:

External actuation point screw

NSN 5930-00-617-7161

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts	ontact	Voltage	Rating	In	Volts
---------------------------------	--------	---------	--------	----	-------

550.0 dc at sea level third voltage

Frequency In Hertz:

60.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A048b0