

View Online at <https://aerobasegroup.com/nsn/5930-00-624-0088>

Thread Class:

2a single mounting facility

Overall Length:

7.116 inches

Overall Height:

3.313 inches

Overall Width:

2.750 inches

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

2.688 inches single actuator

Individual Section Quantity:

3

Longest Horizontal Distance Between Mounting Centers:

2.875 inches single mounting facility

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 each section rear

Throw Quantity:

6 each section rear

Mounting Method:

Threaded bushing single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.164 inches single mounting facility

Contact Voltage Rating In Volts:

7000.0 ac at sea level

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

6 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Makes before breaks each section rear

Switch Actuator Positioning Increment:

60.0 degrees single actuator

Contact Load Current Rating:

20.0 amperes resistive load ac at sea level

Style Designator:

Circular wafer, panel mount

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0