## NSN 5930-00-628-5005

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-628-5005 **Overall Length:** 0.308 inches **Overall Height:** 0.294 inches **Body Diameter:** 0.215 inches **Body Height:** 0.136 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -30.0 degrees fahrenheit and 350.0 degrees fahrenheit **Mounting Method:** Clamp **Features Provided:** Hermetically sealed case **Contact Action Stimulus:** Increase **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 500.0 milliamperes resistive load second voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 205.00 actuation point degrees fahrenheit and 175.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

Media For Which Designed:

Gas or liquid

**Style Designator:** 

Disc

**Test Data Document:** 

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Specification Data:** 

81349-mil-s-24236/19 government specification

Shelf Life:

N/a

## NSN 5930-00-628-5005

Thermostatic Switch - Page 2 of 2



|    | • • |             |     |     |      |
|----|-----|-------------|-----|-----|------|
| In | 18  | <i>(</i> )+ | МЛО | 201 | ure: |
|    |     |             |     |     |      |

--

Demilitarization:

No

Fiig:

A048b0