NSN 5930-00-629-0283

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-629-0283

Overall Length:

7.250 inches

Overall Height:

3.375 inches

Body Diameter:

5.750 inches

Pressure Switch Type:

Differential

Width Across Flats:

0.563 inches

Mounting Method:

Threaded hole

Contact Action Stimulus:

Increase

Thread Size:

0.250 inches single pressure connection

Mounting Facility Pattern:

Isosceles triangle

Contact Load Current Rating:

5.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

Contact Adjustment Range:

+2.00/+60.00 actuation point pounds per square inch gage and +2.00/+60.00 deactuation point pounds per square inch gage

Contact Adjustment Type:

Internal actuation point hex nut with scale

Contact Stimulus Rating:

2.50 differential point pounds per square inch

Contact Voltage Rating In Volts:

240.0 ac at sea level first voltage

Pressure Connector Type:

External seat-gasket seal, threaded external single connection

Special Features:

Stell bourdon tubes, motor single phase, 0.125 hp, magnetic type, sealed mercury contact

Media For Which Designed:

Liquid

Style Designator:

Cylindrical w/port

Thread Series Designator:

Nps single pressure connection

Shelf Life:

N/a

NSN 5930-00-629-0283

Pressure Switch - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0

