NSN 5930-00-630-6292

Rotary Switch - Page 1 of 2



30-00-630-6292

View Online at https://aerobasegroup.com/nsn/5930-
Thread Class:
2a single mounting facility
Thread Length:
0.406 inches single mounting facility
Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
4.093 inches
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
1.031 inches single actuator
Overall Diameter:
2.312 inches
Individual Section Quantity:
2
Operating Tempurature Range:
-65.0/+160.0 degrees fahrenheit
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 1st section front
Throw Quantity:
5 1st section front
Mounting Method:
Threaded bushing single mounting facility
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.469 inches single mounting facility
Contact Voltage Rating In Volts:
28.0 dc at sea level
Switch Actuator Indexing Position Quantity:
5 single actuator
Shaft Type:
Round single actuator
Terminal Type:
Screw
Contact Switching Action:
Breaks before makes each section front
Switch Actuator Positioning Increment:

45.0 degrees single actuator

NSN 5930-00-630-6292

Rotary Switch - Page 2 of 2



Switch Actuator Stop Device Type:

Adjustable stop single actuator

Contact Load Current Rating:

50.0 amperes resistive load dc at sea level

Style Designator:

Tap, circular, bushing mount

Thread Series Designator:

Uns single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0