NSN 5930-00-636-4732

Rotary Switch - Page 1 of 2



930-00-636-4732

View Online at https://aerobasegroup.com/nsn/5930
Thread Length:
0.375 inches single mounting facility
Hazardous Locations/environmental Protection:
Dustproof
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
0.875 inches single actuator
Individual Section Quantity:
1
Switch Contact Basic Design:
Nonpile-up nonsymmetrical
Mounting Method:
Threaded bushing single mounting facility
Features Provided:
Metallic inclosure
Thread Size:
0.375 inches single mounting facility
Contact Voltage Rating In Volts:
300.0 dc at sea level
Switch Actuator Indexing Position Quantity:
5 single actuator
Shaft Type:
Round single actuator
Terminal Type:
Tab, solder lug
Contact Switching Action:
Breaks before makes single section front
Switch Actuator Positioning Increment:
20.0 degrees single actuator
Contact Load Current Rating:
200.0 milliamperes resistive load dc at sea level
Special Features:

Three moving contacts have terminales on ea

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5930-00-636-4732 Rotary Switch - Page 2 of 2



Fiig:

A052b0