NSN 5930-00-644-7880

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-644-7880

Overall	I ongth:
Overall	Length:

2.562 inches

Overall Height:

0.812 inches

Body Diameter:

1.688 inches

Body Height:

0.422 inches

Longest Horizontal Distance Between Mounting Centers:

2.188 inches

Shortest Horizontal Distance Between Mounting Centers:

1.094 inches

Longest Vertical Distance Between Mounting Centers:

2.188 inches

Shortest Vertical Distance Between Mounting Centers:

1.094 inches

Tempurature Sensing Element Type:

Internal sensor

Operating Tempurature Rating:

Between -273.1 degrees celsius and 300.0 degrees fahrenheit

Mounting Method:

Flange

Contact Action Stimulus:

Increase

Mounting Facility Pattern:

Four position diamond

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab w/screw

Contact Load Current Rating:

20.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

450.00 actuation point degrees fahrenheit and 410.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 single voltage

Media For Which Designed:

Gas or liquid

NSN 5930-00-644-7880

Thermostatic Switch - Page 2 of 2

Style Designator:

Disc w/flange

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0

