NSN 5930-00-644-7880

Thermostatic Switch - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5930-00-644-7880

2.562 inches
Overall Height:
0.812 inches
Body Diameter:
1.688 inches
Body Height:
0.422 inches
Longest Horizontal Distance Between Mounting Centers:
2.188 inches
Shortest Horizontal Distance Between Mounting Centers:
1.094 inches
Longest Vertical Distance Between Mounting Centers:
2.188 inches
Shortest Vertical Distance Between Mounting Centers:
1.094 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -273.1 degrees celsius and 300.0 degrees fahrenheit
Mounting Method:
Flange
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Four position diamond
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab w/screw
Contact Load Current Rating:
20.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
450.00 actuation point degrees fahrenheit and 410.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
60.0 single voltage
Media For Which Designed:
Gas or liquid

NSN 5930-00-644-7880

Thermostatic Switch - Page 2 of 2



Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0