## NSN 5930-00-655-4421

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-655-4421

**Thread Class:** 

2a single mounting facility

Thread Length:

0.375 inches single mounting facility

**Overall Length:** 

Between 3.905 inches and 3.953 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.437 inches single actuator

**Overall Diameter:** 

Between 2.484 inches and 2.500 inches

**Individual Section Quantity:** 

4

**Knob Manufacturer Code:** 

71590

**Knob Manufacturer Part Number:** 

P120

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

3 each section rear

**Throw Quantity:** 

3 each section rear

**Mounting Method:** 

Threaded bushing single mounting facility

**Features Provided:** 

Actuator knob

Thread Size:

0.375 inches single mounting facility

**Contact Voltage Rating In Volts:** 

15.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

3 single actuator

**Shaft Type:** 

Round single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Breaks before makes each section rear

**Switch Actuator Positioning Increment:** 

30.0 degrees single actuator

## NSN 5930-00-655-4421

Rotary Switch - Page 2 of 2



## **Switch Actuator Stop Device Type:** Adjustable stop single actuator **Contact Load Current Rating:** 2.0 amperes resistive load dc at sea level **Precious Material And Location:** Terminals and contact surfaces silver **Precious Material:** Silver Style Designator: Circular wafer, bushing mount **Thread Series Designator:** Unef single mounting facility Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No Fiig: A052b0