## NSN 5930-00-679-3028

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-679-3028

**Thread Class:** 

2a single mounting facility

Thread Length:

0.469 inches single mounting facility

**Overall Length:** 

3.313 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.656 inches single actuator

**Overall Diameter:** 

1.438 inches

**Individual Section Quantity:** 

1

**Operating Tempurature Range:** 

-5.0/+85.0 degrees celsius

**Switch Contact Basic Design:** 

Nonpile-up symmetrical

**Pole Quantity:** 

1 each section front

**Throw Quantity:** 

2 each section front

**Mounting Method:** 

Threaded bushing single mounting facility

Thready Qty Per Inch (tpi):

40 single mounting facility

**Thread Size:** 

0.125 inches single mounting facility

**Contact Voltage Rating In Volts:** 

115.0 ac at sea level

**Switch Actuator Indexing Position Quantity:** 

2 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Threaded stud

**Contact Switching Action:** 

Breaks before makes each section front

**Switch Actuator Positioning Increment:** 

30.0 degrees single actuator

**Switch Actuator Stop Device Type:** 

Adjustable stop single actuator

## NSN 5930-00-679-3028

Rotary Switch - Page 2 of 2



Contact Load	Current	Rating:
--------------	---------	---------

5.0 amperes resistive load ac at sea level

**Precious Material And Location:** 

Rotor contacts silver

**Precious Material:** 

Silver

Style Designator:

Tap, circular, bushing mount

**Thread Series Designator:** 

Unc single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

**Demilitarization:** 

No

Fiig:

A052b0