NSN 5930-00-679-3802

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-679-3802

Thread Class:

2b single mounting facility

Hazardous Locations/environmental Protection:

Dustproof

Overall Length:

4.850 inches

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

0.530 inches single actuator

Overall Diameter:

2.062 inches

Individual Section Quantity:

5

Longest Horizontal Distance Between Mounting Centers:

1.594 inches single mounting facility

Operating Tempurature Range:

-55.0/+150.0 degrees fahrenheit

Switch Contact Basic Design:

Nonpile-up nonsymmetrical

Mounting Method:

Threaded hole single mounting facility

Thread Size:

0.190 inches single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Switch Actuator Momentary Position:

Clockwise single actuator and counterclockwise single actuator

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

4 single actuator

Shaft Type:

Round, breakoff single actuator

Terminal Type:

Screw

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

15.0 amperes resistive load dc at sea level

Style Designator:

Tap, circular, bushing mount

NSN 5930-00-679-3802

Rotary Switch - Page 2 of 2



T	'nr	ead	Series	Design	ator

Unf single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0