## NSN 5930-00-679-3802

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-679-3802

#### **Thread Class:**

2b single mounting facility

#### Hazardous Locations/environmental Protection:

Dustproof

### **Overall Length:**

4.850 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.530 inches single actuator

#### **Overall Diameter:**

2.062 inches

#### Individual Section Quantity:

5

#### Longest Horizontal Distance Between Mounting Centers:

1.594 inches single mounting facility

#### **Operating Tempurature Range:**

-55.0/+150.0 degrees fahrenheit

#### Switch Contact Basic Design:

Nonpile-up nonsymmetrical

#### Mounting Method:

Threaded hole single mounting facility

#### **Thread Size:**

0.190 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

#### **Switch Actuator Momentary Position:**

Clockwise single actuator and counterclockwise single actuator

#### Mounting Facility Pattern:

Two position in-line single mounting facility

#### Switch Actuator Indexing Position Quantity:

4 single actuator

#### Shaft Type:

Round, breakoff single actuator

#### **Terminal Type:**

Screw

#### Switch Actuator Stop Device Type:

Fixed stop single actuator

#### **Contact Load Current Rating:**

15.0 amperes resistive load dc at sea level

#### Style Designator:

Tap, circular, bushing mount

# NSN 5930-00-679-3802

Rotary Switch - Page 2 of 2



Unf single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

