# NSN 5930-00-682-0421

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-682-0421

#### **Thread Class:**

2a single mounting facility

#### Thread Length:

0.375 inches single mounting facility

## **Overall Length:**

1.996 inches

#### **Overall Height:**

1.000 inches

#### **Overall Width:**

1.000 inches

#### Shaft Diameter:

0.248 inches single actuator and 0.250 inches single actuator

## Shaft Length:

0.375 inches single actuator

#### Individual Section Quantity:

2

## Nonturn Device Type:

Slotted bushing at 12: 00 o'clock

#### Switch Contact Basic Design:

Nonpile-up symmetrical

#### **Pole Quantity:**

2 each section front

#### Throw Quantity:

5 each section rear

#### **Mounting Method:**

Threaded bushing single mounting facility

#### **Features Provided:**

Metallic inclosure

#### Thread Size:

0.375 inches single mounting facility

#### Contact Voltage Rating In Volts:

115.0 ac at sea level

#### **Rotor Through Connection Quantity:**

2 each section

#### Switch Actuator Indexing Position Quantity:

5 single actuator

#### Shaft Type:

Round single actuator

## **Terminal Type:**

Tab, solder lug

### **Contact Switching Action:**

Makes before breaks each section rear

# NSN 5930-00-682-0421

Rotary Switch - Page 2 of 2



## Switch Actuator Positioning Increment:

30.0 degrees single actuator

#### **Contact Load Current Rating:**

3.0 amperes resistive load ac at sea level

## Precious Material And Location:

Contacts silver

## **Precious Material:**

Silver

#### Style Designator:

Square wafer, panel mount

## **Thread Series Designator:**

Unef single mounting facility

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

### Fiig:

A052b0