## NSN 5930-00-690-9433

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-690-9433

**Thread Class:** 

2a single mounting facility

**Thread Length:** 

0.375 inches single mounting facility

**Overall Length:** 

4.125 inches

**Shaft Diameter:** 

0.250 inches single actuator

**Shaft Length:** 

0.484 inches single actuator

**Nonturn Device Radius:** 

0.531 inches at 3: 00 o'clock

**Individual Section Quantity:** 

6

**Nonturn Device Type:** 

Tab at 1: 30 o'clock

**Operating Tempurature Range:** 

-25.0/+85.0 degrees celsius

**Switch Contact Basic Design:** 

Nonpile-up nonsymmetrical

**Mounting Method:** 

Threaded bushing single mounting facility

Thread Size:

0.375 inches single mounting facility

**Contact Voltage Rating In Volts:** 

28.0 dc at sea level

**Switch Actuator Indexing Position Quantity:** 

10 single actuator

**Shaft Type:** 

Round single actuator

**Terminal Type:** 

Tab, solder lug

**Contact Switching Action:** 

Makes before breaks each section front

**Switch Actuator Positioning Increment:** 

30.0 degrees single actuator

**Detent Rotational Torque Range:** 

+30.000/+50.000 inch-ounces single actuator

**Switch Actuator Stop Device Type:** 

Fixed stop single actuator

**Contact Load Current Rating:** 

500.0 milliamperes resistive load ac at sea level

## NSN 5930-00-690-9433

Rotary Switch - Page 2 of 2



Styl			

Circular wafer, bushing mount

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A052b0