NSN 5930-00-713-4298

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-713-4298

Overall Length:
1.250 inches
Overall Height:
0.687 inches
Overall Width:
0.401 inches
Body Length:
0.776 inches
Body Width:
0.401 inches
Body Height:
0.251 inches
Unthreaded Mounting Hole Diameter:
0.156 inches
Distance Between Mounting Facility Centers:
1.000 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 220.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
2 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
2.5 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable, preset and actuation point adjustable, preset
Contact Adjustment Range:
-20.00/+200.00 actuation point degrees fahrenheit and -20.00/+200.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
External deactuation point screw and external actuation point screw

Contact Stimulus Rating:

185.00 actuation point degrees fahrenheit and 185.00 deactuation point degrees fahrenheit

NSN 5930-00-713-4298

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts: 28.0 dc at sea level second voltage Frequency In Hertz: 60.0 single voltage Media For Which Designed:

Gas

Style Designator:Rectangular w/bracket

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0