## NSN 5930-00-721-0418

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-721-0418
Thread Class:
2b single mounting facility
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
9.720 inches
Overall Height:
2.812 inches
Overall Width:
2.812 inches
Shaft Length:
2.250 inches single actuator
Individual Section Quantity:
15
Knob Manufacturer Code:
82121
Knob Manufacturer Part Number:
A
Knob Specificationial Markings:
White arrow
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section rear
Throw Quantity:
7 each section rear
Mounting Facility Circle Radius:
3.250 inches single mounting facility
Mounting Method:
Bracket single mounting facility and threaded hole single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
30.0 dc at sea level

8 single actuator

**Mounting Facility Pattern:** 

Four position circular single mounting facility

Switch Actuator Indexing Position Quantity:

## NSN 5930-00-721-0418

Rotary Switch - Page 2 of 2



Shaft Type:
Rectangular/square, threaded hole single actuator
Square Shaft Size:
0.250 inches single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:
Breaks before makes each section rear
Switch Actuator Positioning Increment:
45.0 degrees single actuator
Switch Actuator Stop Device Type:
Adjustable stop single actuator
Contact Load Current Rating:
10.0 amperes resistive load dc at sea level
Precious Material And Location:
Contact and rotor blade surfaces silver
Precious Material:
Silver
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0