

View Online at <https://aerobasegroup.com/nsn/5930-00-725-8306>

Thread Class:

2b all threaded hole

Hazardous Locations/environmental Protection:

Vibration resistant

Overall Length:

3.062 inches

Overall Width:

1.438 inches

Body Diameter:

0.500 inches

Distance Between Mounting Facility Centers:

0.750 inches

Tempurature Sensing Element Type:

Expanding shell

Mounting Method:

Bracket and threaded hole

Features Provided:

Hermetically sealed case

Thready Qty Per Inch (tpi):

32 all threaded hole

Contact Action Stimulus:

Increase

Thread Size:

0.138 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

5.0 amperes resistive load single voltage

Contact Adjustability:

Actuation point adjustable, preset

Contact Adjustment Range:

-100.00/+300.00 actuation point degrees fahrenheit

Contact Adjustment Type:

Internal actuation point tongue

Contact Stimulus Rating:

50.00 actuation point degrees fahrenheit and 60.00 actuation point degrees fahrenheit

Contact Voltage Rating In Volts:

115.0 ac at sea level single voltage

Media For Which Designed:

Gas or liquid

Precious Material And Location:

Contacts silver and contacts palladium

Precious Material:

Silver and palladium

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0