

View Online at <https://aerobasegroup.com/nsn/5930-00-726-2631>

**Overall Length:**

4.562 inches

**Overall Height:**

8.281 inches

**Overall Width:**

3.688 inches

**Body Length:**

4.562 inches

**Unthreaded Mounting Hole Diameter:**

0.281 inches

**Distance Between Mounting Facility Centers:**

2.000 inches

**Pressure Switch Type:**

Differential

**Mounting Method:**

Bracket and unthreaded hole

**Features Provided:**

Calibrated scale

**Thready Qty Per Inch (tpi):**

20 all pressure connection

**Contact Action Stimulus:**

Increase

**Proof Pressure:**

9000.00 pounds per square inch

**Thread Size:**

0.438 inches single pressure connection

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary

**Terminal Type:**

Wire lead

**Contact Load Current Rating:**

30.0 milliamperes inductive load third voltage

**Contact Adjustability:**

Deactuation point adjustable, preset and actuation point adjustable, preset

**Contact Adjustment Range:**

+50.00/+6000.00 actuation point pounds per square inch and +50.00/+6000.00 deactuation point pounds per square inch

**Contact Adjustment Type:**

External actuation point screw with scale

**Contact Stimulus Rating:**

20.00 actuation point pounds per square inch and 15.00 deactuation point pounds per square inch and 5.00 differential point pounds per square inch

**Contact Voltage Rating In Volts:**

6.0 dc at sea level fourth voltage

**Pressure Connector Type:**

Plain, threaded internal all connections

**Frequency In Hertz:**

60.0 second voltage

**Media For Which Designed:**

Liquid

**Style Designator:**

Rectangular

**Thread Series Designator:**

Unf all pressure connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0