

View Online at <https://aerobasegroup.com/nsn/5930-00-726-4108>

Body Style:

Bushing mounted

Hazardous Locations/environmental Protection:

Driptight

Overall Length:

3.060 inches

Overall Height:

1.530 inches

Overall Width:

1.530 inches

Actuator Length:

1.500 inches

Actuator Style:

Adjustable arm

Actuator Diameter:

0.190 inches

Actuator Height:

1.240 inches

Actuator Width:

2.500 inches

Housing Diameter:

1.530 inches

Housing Length:

1.820 inches

Housing Bushing Length:

0.340 inches

Maximum Voltage Rating In Volts:

28.0 dc

Inclosure Type:

Fully enclosed

Mounting Method:

Threaded bushing

Features Provided:

Actuator seal

Thready Qty Per Inch (tpi):

32

Thread Size:

0.469 inches

Nonpile-up Contact Arrangement:

2 two circuit, double break/double make, one position momentary single switch unit

Actuator Movement:

20.0 differential degrees

Test Data Document:

81349-mil-s-8805 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Uns

Terminal Type And Quantity:

8 wire lead

Specification Data:

81349-mil-s-8805/49 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A053a0