NSN 5930-00-727-1000

Thermostatic Switch - Page 1 of 2

Distance Between Mounting Facility Centers:

Overall Length: 3.375 inches Overall Height: 2.188 inches Overall Width: 3.000 inches



View Online at https://aerobasegroup.com/nsn/5930-00-727-1000

1.750 inches
Capillary Tube Length:
24.000 inches
Bulb Diameter:
0.375 inches
Tempurature Sensing Element Type:
Capillary tube
Mounting Method:
Flange and threaded hole
Features Provided:
Tubing end seal connection
Thready Qty Per Inch (tpi):
32 all threaded hole
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches all threaded hole
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, both positions maintained
Terminal Type:
Tab w/screw
Contact Load Current Rating:
35.0 amperes resistive load second voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
+100.00/+550.00 actuation point degrees fahrenheit
Contact Stimulus Rating:
450.00 actuation point degrees fahrenheit
Contact Voltage Rating In Volts:
250.0 ac at sea level first voltage
Shelf Life:
N/a

NSN 5930-00-727-1000

Thermostatic Switch - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A048b0