NSN 5930-00-727-2775

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-727-2775

Thread Class: 3a single pressure connection **Thread Length:** 0.625 inches single pressure connection **Overall Length:** 3.000 inches **Overall Height:** 2.680 inches **Overall Width:** 1.090 inches **Body Length:** 2.375 inches **Body Height:** 2.180 inches **Unthreaded Mounting Hole Diameter:** Between 0.234 inches and 0.242 inches **Distance Between Mounting Facility Centers:** 1.500 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -65.0 degrees fahrenheit and 325.0 degrees fahrenheit **Mounting Method:** Unthreaded hole **Features Provided:** Electrical access port **Contact Action Stimulus:** Increase Thread Size: 0.750 inches single pressure connection **Mounting Facility Pattern:** Two position in-line **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Wire lead **Contact Load Current Rating:**

2.0 amperes resistive load second voltage and 500.0 milliamperes inductive load second voltage and 500.0 milliamperes lamp load second voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

275.00 actuation point degrees fahrenheit and 255.00 deactuation point degrees fahrenheit and 270.00 deactuation point degrees fahrenheit

NSN 5930-00-727-2775

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts: 28.0 dc at sea level second voltage Frequency In Hertz: 60.0 first voltage Media For Which Designed: Liquid Style Designator: Rectangular Thread Series Designator: Unjf single pressure connection Shelf Life: N/a Unit Of Measure: --Demilitarization:

No Fiig: A048b0