NSN 5930-00-729-8371

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-729-8371

View Online at https://aerobasegroup.com/nsn/5930-00-72
Thread Length:
0.375 inches single mounting facility
Overall Length:
3.125 inches
Overall Height:
1.484 inches
Overall Width:
1.438 inches
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
2.250 inches single actuator
Nonturn Device Radius:
0.438 inches at 9: 00 o'clock
Individual Section Quantity:
2
Knob Manufacturer Code:
71590
Knob Manufacturer Part Number:
P120
Nonturn Device Type:
Tab at 9: 00 o'clock
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 single section rear
Throw Quantity:
6 single section rear
Mounting Method:
Threaded bushing w/panel seal single mounting facility
Features Provided:
Actuator knob
Thread Size:
0.375 inches single mounting facility
Contact Voltage Rating In Volts:
6.0 lowest dc voltage rating at sea level
Switch Actuator Indexing Position Quantity:
6 single actuator
Shaft Type:
Round single actuator
Terminal Type:

Terminal Type: Tab, solder lug

NSN 5930-00-729-8371 Rotary Switch - Page 2 of 2

Fiig: A052b0



Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
30.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
5.5 amperes resistive load highest dc voltage rating at sea leve
Special Test Features:
Shorting type
Style Designator:
Circular wafer, bushing mount
Thread Series Designator:
Unef single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No