# NSN 5930-00-729-8592

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-729-8592

## **Thread Class:**

2a single mounting facility

## Thread Length:

0.375 inches single mounting facility

# **Overall Length:**

4.063 inches

#### **Overall Height:**

1.500 inches

#### **Overall Width:**

1.312 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

2.000 inches single actuator

#### **Nonturn Device Radius:**

## 0.438 inches at 3: 00 o'clock

## Individual Section Quantity:

5

#### Nonturn Device Type:

Tab at 3: 00 o'clock

## Switch Contact Basic Design:

Nonpile-up nonsymmetrical

## **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

## **Contact Voltage Rating In Volts:**

28.0 dc at sea level

## Switch Actuator Indexing Position Quantity:

3 single actuator

#### Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

## **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

## Switch Actuator Stop Device Type:

Fixed stop single actuator

## **Contact Load Current Rating:**

1.5 amperes resistive load dc at sea level

# **Precious Material And Location:**

Contact surfaces and rotor blade surfaces silver

# NSN 5930-00-729-8592

Rotary Switch - Page 2 of 2

Precious Material:

Silver

Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

