# NSN 5930-00-729-9869

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-729-9869

**Thread Class:** 2a single mounting facility Thread Length: 0.375 inches single mounting facility **Overall Length:** 3.079 inches **Overall Height:** 1.312 inches **Overall Width:** 1.250 inches First Flat Length: 0.312 inches single actuator **Shaft Diameter:** 0.250 inches single actuator **Shaft Length:** 1.563 inches single actuator **Nonturn Device Radius:** 0.531 inches at 3: 00 o'clock **Individual Section Quantity: Nonturn Device Type:** Tab at 3: 00 o'clock **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 each section rear **Throw Quantity:** 11 each section rear **Mounting Method:** Threaded bushing single mounting facility **Thread Size:** 0.375 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Switch Actuator Indexing Position Quantity:** 11 single actuator **Shaft Type:** Round, v flatted single actuator **Terminal Type:** Clip

#### \_ . . \_

**Contact Switching Action:** 

Breaks before makes each section rear

# NSN 5930-00-729-9869

Rotary Switch - Page 2 of 2



## **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

### **Contact Load Current Rating:**

1.0 amperes resistive load ac at sea level

#### **Precious Material And Location:**

Contacts and rotor blades silver

**Precious Material:** 

Silver

Style Designator:

Circular wafer, bushing mount

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A052b0