NSN 5930-00-755-3542Rotary Switch - Page 1 of 2



Rolary Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-00-755-3542
Thread Class:
2a single mounting facility
Thread Length:
0.250 inches single mounting facility
Overall Length:
1.318 inches
Overall Height:
1.000 inches
Overall Width:
0.938 inches
Shaft Diameter:
0.248 inches single actuator and 0.250 inches single actuator
Shaft Length:
0.125 inches single actuator
Individual Section Quantity:
2
Operating Tempurature Range:
-55.0/+100.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
4 each section rear
Throw Quantity:
2 each section rear
Mounting Method:
Threaded bushing single mounting facility
Thread Size:
0.375 inches single mounting facility
Contact Voltage Rating In Volts:
230.0 dc at sea level

Switch Actuator Indexing Position Quantity:

12 single actuator

Shaft Type:

Round, slotted single actuator

Terminal Type:

Clip

Contact Switching Action:

Breaks before makes each section rear

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

NSN 5930-00-755-3542

Rotary Switch - Page 2 of 2



Contact Load Current Rating:

250.0 milliamperes resistive load dc at sea level

Precious Material And Location:

Clips and rotor blades silver and clip surfaces gold

Precious Material:

Gold and silver

Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0