NSN 5930-00-763-5974

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-763-5974

Hazardous Locations/environmental Protection:				
Moisture proof				
Overall Length:				
1.281 inches				
Overall Height:				
0.656 inches				
Body Diameter:				
0.656 inches				
Body Height:				
0.406 inches				
Unthreaded Mounting Hole Diameter:				
0.109 inches				
Distance Between Mounting Facility Centers:				
0.938 inches				
Tempurature Sensing Element Type:				
Internal sensor				
Mounting Method:				
Bracket and unthreaded hole				
Contact Action Stimulus:				
Increase				
Mounting Facility Pattern:				
Two position in-line				
Nonpile-up Contact Arrangement:				
1 pole, single throw, normally closed, momentary action				
Terminal Type:				
Tab, solder lug				
Contact Load Current Rating:				
6.0 amperes resistive load second voltage				
Contact Adjustability:				
Deactuation point not adjustable and actuation point not adjustable				
Contact Stimulus Rating:				
190.00 actuation point degrees fahrenheit and 175.00 deactuation point degrees fahrenheit				
Contact Voltage Rating In Volts:				
28.0 dc at sea level first voltage				
Media For Which Designed:				
Gas				
Precious Material And Location:				
Contacts silver				
Precious Material:				
Silver				
Style Designator:				
Disc w/flange				

NSN 5930-00-763-5974

Thermostatic Switch - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0