## NSN 5930-00-764-3004

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-764-3004

Hazardous Locations/environmental Protection: General purpose-nema type 1 **Overall Length:** 2.562 inches **Overall Height:** 8.906 inches **Overall Width:** 3.250 inches **Body Height:** 4.625 inches **Unthreaded Mounting Hole Diameter:** 0.217 inches Capillary Tube Length: 2.9 inches Longest Horizontal Distance Between Mounting Centers: 1.624 inches Longest Vertical Distance Between Mounting Centers: 1.375 inches **Tempurature Sensing Element Type:** Capillary tube or immersion well **Operating Tempurature Rating:** 240.0 degrees fahrenheit **Mounting Method:** Unthreaded hole **Features Provided:** Electrical access port **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Two position diagonal Nonpile-up Contact Arrangement: 1 pole, double throw, one position momentary **Terminal Type:** Tab w/screw **Contact Load Current Rating:** 5.0 amperes resistive load first voltage **Contact Adjustability:** Actuation point adjustable **Contact Adjustment Range:** +90.00/+200.00 actuation point degrees fahrenheit **Contact Adjustment Type:** Internal actuation point screw

## NSN 5930-00-764-3004

Thermostatic Switch - Page 2 of 2



Contact Voltage Rating In Volts:

600.0 ac at sea level second voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0